





Contemporary...Traditional...Provincial...


Known for more than 45 years as an outstanding designer and manufacturer of highest quality lighting fixtures for the home, the Virden name and reputation are your assurance of complete satisfaction. For information on planning the lighting for your home, see your electrical contractor, decorator, builder or architect or write to Dept. V-64, The John C. Virden Company, Cleveland 3, Ohio . . . or John C. Virden, Ltd., Toronto 16, Canada.



Early American—what's your preference in home decor?


Do you love the easy elegance of Contemporary . . . or do you prefer the gracious charm of Traditional? Is your home furnished in romantic Provincial . . . or did you choose the simple warmth of Early American? Whatever your favorite decor, Virden has *The Light Idea* to enhance it.

Not only will you find a variety of lighting designs styled to your decorative preference, but Virden also presents authentic period pieces to help you reproduce a particular era or flavor in your home decor. Exciting designs that recall the hearty hospitality of the Old West . . . a cozy Colonial kitchen . . . an elegant Victorian sitting room . . . an Oriental or Florentine setting—you'll find them all in these pages. Add distinction, individuality and charm to your home with the enchanting touch of *The Light Idea* by Virden.





Hedrich-Blessing Photograph



V-1618 Graceful five-light sculptured chandelier in a traditional motif. Beautifully ornamented metal castings in antique brass finish. Charcoal color glass has molded vertical optics. White inner cylinder has horizontal crystal accent lines. Curved, rope twist arms add a subtle design detail that makes this fixture a conversation piece and a treasure to own. 26" spread. Length adjusts to 48" overall. Five 75 watt lamps are recommended.

V-1619 Same except with Amber glass.



V-6118 Traditionally styled wall bracket. Ornamental castings in antique brass finish. Charcoal vertical optic glass has white inner cylinder with horizontal lines. Distinctive and rich in appearance. 10¾″ high, 10″ extension. 5¾″ backplate. On/off switch. One 75 watt lamp recommended.

Cremman and

V-6119 Same except with Amber glass.





V-1627 12" diam. x 21½" high. 100 watt lamp. V-1624 10" diam. x 19½" high. 100 watt lamp. V-1621 8" diam. x 15½" high. 75 watt lamp.

Exquisite beauty in a chain suspended fixture. Striking vertical optic glass in charcoal has white inner glass cylinder with fine horizontal lines to add to its distinctive styling. Ornamental castings have antique brass finish. On/off switch. Length adjusts to 48" overall. (See page 34 for versatile mounting kits, Permits hanging chain fixtures in dramatic locations.)

V-1628 12" diameter Amber Glass. 100 watt lamp.
V-1625 10" diameter Amber Glass. 100 watt lamp.
V-1622 8" diameter Amber Glass. 75 watt lamp.

V-6021 Classic wall mounted fixture. Charcoal glass in molded vertical optic has white inner cylinder with clear horizontal lines. Ornamental castings have antique brass finish. 15" high, 10\%" extension. 5\%" diameter backplate. On/off switch. One 75 watt lamp.

V-6022 Same except with Amber glass.




Authentic Hand Decorated Tole Lamps... Capturing the Provincial Elegance of the 18th Century





V-1316 • A luxurious decorator touch for dining room or library is this exquisite Tole chandelier in soft dark green and gold enameled metalware. Graceful polished brass arms and rich walnut wood reflect impeccable taste. 36" length, 22" spread, 151/2" high. Five 75 watt lamps.





V-1306 • Elegant matching 3-light Tole fixture with rich polished brass and walnut enhancing the beauty of green and gold shades. 36" length, 19" spread, $15\frac{1}{2}$ " high. Three 75 watt lamps.





ing light with Tole green shade enhanced by curving polished brass arm and trim. Nice for hallways, small rooms. 51/4" diameter, 121/2" length. One 75 watt lamp.


V-6106 • Matching Tole wall bracket with polished brass trim. 51/4" diameter, 11" length, 71/2" extension. On/off switch. One 75 watt lamp.



V-5055 • Elegant ceiling fixture. Striking opalescent globe has pearlescent colors. Antique brass finish with fluted accents. 6" diameter. Length 8½". One 75 watt lamp.


Gilded Opalescence

Pearlescent pinks, blues and ivory accent the elegance of ornamental metals.



V-1765 • Sparkling in splendor. Five light opalescent globe chandelier with gracefully curved arms conforming to the symmetry of the designer's original concept. 6" opalescent glass has subtle pearlescent colors. Lighted or unlighted the pearl-like tones combined with the antique brass add a priceless quality. 22" spread. Length adjusts to 36" overall. Five 60 watt lamps. Hi-Lo on/off switch to control lighting level.

NOTE: For individual preference, up or down mounting is possible. (See illustration).





V-1769-10"diam.x 18"high. 100 watt lamp. V-1767- 8"diam.x 15"high. 75 watt lamp.

Chain suspended fixture with traditional charm. Opalescent glass sphere in pearlescent shell-like pinks, blues, ivory. Sculptured metal castings in antique brass finish. On/off switch. Length adjusts to 48" overall. (Can easily be converted to 3-light cluster. See "swag kit" and "spreader kit" on page 34.)



V-6150 • Opalescent wall bracket with fluted antique brass fittings. 6" diameter globe in pearlescent colors. (Fixture can be hung as shown or inverted.) 11" high, 11" extension. 5" diameter backplate. On/off switch. One 75 watt lamp.










V-6131 • Imaginative designing has fashioned this classic wall bracket in beautiful opalescent glass with a crystal coin dot optic pattern, and white inner cylinder. Antique brass finished metal castings. 8" dia. globe. 15" high, 10½" extension. 5¾" dia. backplate. On/off switch. One 75 watt lamp.





V-1634 • 10" dia. x 18" high. 100 watt lamp. V-1631 • 8" dia. x 15½" high. 75 watt lamp.

Shimmering enchantment in a chain suspended lantern. French white opalescent glass globe with crystal coin dot optic pattern, with white inner cylinder. Antique brass on sculptured metal components. Opalescent colors delightfully decorative when fixture is illuminated. Length adjusts to 48" overall. On/off switch.



V-1764 • Traditional elegance in a richly styled 2-light opalescent glass sphere lamp. Richly sculptured antique brass finished rope twisted arms and fittings add a note of splendor. 21" spread. Length adjusts to 48" overall. Two 75 watt lamps.





V-1396 • A design of elegance featuring the craftsmanship of wood polished, beveled, and hand cut glass panels enhanced by the walnut center stem finished with polished brass finials. 36" overall, 20" spread, 17" high. Six 75 watt lamps.



V-5192 • Matching 2-light ceiling piece with beveled crystal panels, walnut stem and polished brass finish. Adds sparkle to hallway, dinette, bedroom. 8" square, 11" length. Two 75 watt lamps.



V-1394 • Beveled crystal panels with sunburst design make an exquisite chain hung fixture for living or dining room or entrance hall. Walnut stem, polished brass finish. 36" overall, 12" spread. Three 75 watt lamps.



V-1392 • Matching 2-light chain hung fixture with sparkling clear crystal panels hand cut in sunburst design. Walnut stem, polished brass finish. Adds a brilliant note to entrance hall, dining or living room. 8" square, 36" overall. Two 75 watt lamps.

CRYSTAL CHANDELIERS

Contemporary chandeliers, styled for today's formal hostess, enable you to enjoy the magnificence of truly elegant furnishings . . . choose from these classic designs.



V-4017 • Enjoy the shimmering enchantment of a real crystal chandelier for dining. Dozens of sparkling wood-polished cut crystal prisms reflect light in all directions from this two-tiered creation with its matching glass bowls and lacy, perforated brass galleries. 17" diameter, 123/4" height. Four 60 watt lamps.



V-1015 • Romance of crystal for dining or bedroom. Glittering cut crystal prisms, wood-polished, surround a simulated cut glass bowl. Lacy, perforated, polished brass gallery and trim add gleaming accents. 15" diameter, 8" height. Three 60 watt lamps.





V-1385 • Matchless beauty in an exquisite five light chandelier of rare, delicate design. Graceful polished pewter arms and swirls complement the sparkling crystal glass. Brings charm and elegance to your dining or living room. 36" overall, 23" spread, 18" high. Five 75 watt lamps.




V-6185 • Lovely polished pewter and crystal wall bracket, designed as a companion piece for crystal chandelier above. Delicate beauty flatters a dining room sideboard, graces a hallway, or can bring charm to a powder room. $11\frac{1}{2}$ high, $6\frac{1}{2}$ extension, $11\frac{1}{2}$ spread. On/off switch. Two 75 watt lamps.



V-5091 Charming Early American hobnail ceiling fixture. Hand-blown, milk white hobnail glass shade. Authentic smoke bell. Antique brass finish with maple wood trim, 9½" diameter, length 12". One 75 watt lamp.



V-6080 Matching wall bracket of Early American design. Hand-blown, milk white hobnail glass shade. Authentic smoke bell. Antique brass finish with maple wood trim. On/off switch. Length 12", extends 7½", 5" diameter backplate. One 75 watt lamp.



V-1793 Enduring charm in this beautiful antique brass 3-light Early American chandelier. Shades of hand-blown, milk white hobnail glass are accented by rich maple wood and graceful arms. Smoke bells give an authentic touch. 18½" spread. Length adjusts to 36" overall. Three 75 watt lamps.

SWAG CHAIN KIT—Decorative way to suspend any Virden chain hung fixture from ceiling without a ceiling outlet. Canopy attaches to ceiling, concealing splicing of fixture cord to swag cord. 14-feet of chain, 15-feet of cord with plug and on/off switch. Available in three finishes. (See page 34)

V-1797 Antique Brass V-1798 Antique Copper V-1799 Polished Brass





Early American Charm... The Heritage of Hobnail Glass



V-1795 Romantic 5-light Early American chandelier with hand-blown, milk white hobnail glass shades. Authentic "smoke bells" top each shade, and warmly polished maple wood combines beautifully with antique brass. 22" spread. Length adjusts to 36" overall. Five 75 watt lamps.



Softly glowing milk white hand-blown hobnail glass . . . accented by warmly gleaming maple wood and rich antique brass . . . an enchanting decorative touch for dining or family room, entrance hall, powder room or bedroom.

Lacy Sparkling Crystal and Polished Brass






V-1860 • New charm in a 6-light chandelier that will flatter a contemporary table setting. Shades are clear crystal etched with fine, frosty lines. Polished brass arms and decorative spray surrounding stem add a golden touch. Length 36", spread 23". Six 75 watt lamps.



V-6860 • Matching crystal wall bracket, polished brass trim. 5" backplate. 61/2" high, extends 7". On/off switch. One 75 watt lamp.

V-5860 • Matching crystal ceiling light, for hallway or dinette. Polished brass arm and canopy, $9\frac{1}{2}$ " length. One 75 watt lamp.





The Latest Decorator Touch... Polished Pewter Lighting Styles

Colonial simplicity and charm in a beautifully designed and crafted series of pewter creations adapted for contemporary settings.

V-1455 • Gleaming polished pewter 5-light chandelier will add new magnificence to your dining room. Refreshing, uncluttered lines reflect impeccable taste. Opal shades have delicately scalloped top. 36" overall, 24" spread, 13" high. Five 75 watt lamps.



V-5155 • Matching ceiling light. An elegant addition to hall or foyer. Polished pewter. 9½" diameter. 11" length. One 75 watt lamp.



idea

V-6155 • Matching wall bracket, excellent companion to chandelier in dining rooms, hallways or baths. Polished pewter. 5¾" diameter. 9½" high, 8" extension. On/off switch. One 75 watt lamp.



V-6157 • Polished pewter 2-light wall bracket matches chandelier for luxurious look throughout your dining room, hallways or bath. 9½" high, 7½" extension, 14½" spread. On/off switch. Two 75 watt lamps.

Authentic Colonial Charm Graceful cut designs and the lovely look of crystal



V-5890 • Colonial charm in a graceful ceiling fixture. Frosted glass chimney in cut design, clear scalloped edge. 10" length. One 75 watt lamp.



V-6881 • Matching Colonial wall bracket in frosted glass with cut design, clear scalloped edge. 4½" backplate. 5" extension. On/off switch. One 75 watt lamp.





V-1885 • Authentic Colonial 5-light chandelier for gracious dining. Frosted white glass chimneys accented with cut designs, rippling clear scalloped edges. Polished brass. 18" diameter, 36" length. Five 75 watt lamps.



V-5038 • Distinctive traditional ceiling fixture with simulated cut glass panels. Attractive in hallway, dinette, bedroom. Polished brass trim. 71/8" square, 93/8" length. One 75 watt lamp.



Smart Contemporary Styling Rich walnut wood enhances the beauty of white opal glass



V-6125 • Matching contemporary wall bracket for decorative continuity in dining room, hall, foyer. 5" diameter, 12" length, 93" extension. On/off switch. One 75 watt lamp.



V-1425 • Handsome 5-light chandelier in contemporary styling. Tapered white opal glass shades on polished brass arms surround a stem of warm, rich walnut wood. 36" overall, 27" spread, 18" high. Five 75 watt lamps.

Warmth of Wood Grain to Decorate and Light a Wall



V-6900 • One 40 watt R. S. lamp. – V-6905 • Two 40 watt R.S. lamps. Walnut grain valance with metal-backed white reflector. Polished brass end plates. On/off switch.

V-6901 • One 40 want R. S. lamp.—V-6906 • Two 40 want R. S. lamps. Translucent, light stable, medium impact styrene with walnut finish valance. Polished brass end plates. On/off switch.

Attractive, functional valance lighting. Distributes light above and below fixture. Adds spaciousness and eye comfort for any room interior. Continuous row mounting possible. 48" length, $6\frac{1}{2}$ " high, 6" extension.

V-9193 • 10 ft. cord and plug with feed through switch. (See page 34)

Golden Glamor . . . Dazzling Clear Amber Glass and Gleaming Polished Brass in a Modern Mood



V-1861 • Golden elegance in a dazzling chandelier of infinite grace. Brandy snifter shaped shades of sparkling amber glass enclose screen-like brass diffusers. Central stem is surrounded by a delightful spray effect. All polished brass. Spread 23", length 36". Six 75 watt lamps.





V-2871 • Matching amber glass ceiling fixture. Charming in dinette, bedroom, powder room. Spread 18", length 10". Three 75 watt lamps.



V-6861 • Delightful matching wall bracket adds sparkle to hallway, bedroom, powder room. 6½" length, 5" backplate, extends 7". On/off switch. One 75 watt lamp.








V-2135 • Sparkling amber glass with its optic beauty forms a contemporary ceiling chandelier of striking sophistication. Gleaming polished brass with walnut wood accents. 20" length, 241/2" spread. Five 75 watt lamps.



V-2133 • Matching amber glass ceiling fixture with the warm, friendly glow of polished brass accented with rich walnut wood. 15" length, 18½" spread. Three 75 watt lamps.



V-6133 • A warm blend of optic amber glass with polished brass and rich walnut forms an enchanting matching wall light: 11½" length, 7" extension, 12" spread. On/off switch. Two 75 watt lamps.






V-1742 • Antique copper finish enhances the design of this ranch ceiling fixture. Strap arms and metal reflector with frosted chimney add authentic traditional appearance. 81/4" wide, length 121/2". One 75 watt lamp.



V-1736 • Antique copper finish 5-light ranch style chandelier. Metal reflectors add authentic charm to this beautifully fashioned fixture. Frosted chimneys are held in decorative cups. 22" spread. Length adjusts to 36" overall. Five 75 watt lamps.



V-1702 • Wall bracket ideal for ranch style decor. Antique copper finish decorative cups and metal reflector. Frosted chimney. 51/4" diameter backplate. Extends 81/4". On/off switch. One 75 watt lamp.





welcoming note for

Decorative ranch style lantern for dinette or recreation room. Choice of antique brass or copper, reel or chain suspended. 17" diameter pierced reflector. Opal chimney. Three-way switch for 50-100-150 watt lamp.
*Illustrated model.

dining room, hallway.






V-1731 • Chain Suspended Adjusts to 36"

Gracefully curved traditional hanging lantern for dining, family or recreation room. Finished in polished copper and rusty iron. Diameter $12\frac{1}{2}$ ". One 100 watt lamp.

V-1721 • Pulldown Adjusts 23" to 52"






V-1545 • Enchanting Ranch Style chandelier in sparkling optic amber glass. Warm antique brass and walnut wood accents in the contemporary manner. Ideal for living-dining room areas. $22\frac{1}{2}$ " spread, 36" length. Six-lamp—five 75 watt lamps and one center R-30 reflector lamp or 75 watt lamp. Controlled by 3-way switch.

Amber Glass and Walnut Wood... Ranch Style with Contemporary Flair



V-6145 • Amber glass 2-light wall bracket. Antique brass and walnut combine to give an air of quiet contemporary elegance. 11½" width, 11½" length, extends 8". On/off switch. Two 75 watt lamps.







V-1647 Truly a conversation piece. Provincial dinette lantern, richly ornamented polished brass and satin white finish, with delicate hand painted rose design on white opal glass shade. Effects oldworld charm and appearance. 19" diameter. Length adjusts to 36" overall. 3-way switch for 50-100-150 watt lamp.

Authentic Reproductions of Early Americana



Charm of the Traditional in chain suspension lantern. Hand-blown milk white hobnail chimney, metal shade, smoke bell, oil font and switch add an authentic decorative flair. $17\frac{1}{2}$ " diameter. Length adjusts to 36" overall. 3-way switch for 50-100-150 watt lamp.


Antique Copper

Polished Brass

Antique Brass


Distinctive glass colors
...delicate hand
painted designs...
antique finished metals
...delightful glass textures,
blended in Early
American elegance to
accent today's rooms.


















V-1935 • Ceramic in eggshell white, brown stippling and pierced diamond patterns. Walnut top, brass canopy, white plastic cord. 7" wide, 17" high, length 58". One 100 watt white or colored lamp.




V-1675 • Oriental motif design in sand color reed with interwoven brass strands. White opal glass diffuser. Polished brass canopy, white plastic cord. 101/2" diameter, 11" high. Length 61". One 100 watt lamp.

V-1835 • Sand color reed and brass in a contemporary mood. Polished brass canopy, white plastic cord. 5½" diameter, 12" high. Length 64". One 100 watt lamp.

So versatile—use them singly, in pairs or clusters

(see page 34 for Spreader Kits)





V-1930 . White opal glass, polished brass top cone and canopy. White plastic cord. 7" wide, 14" high, overall length 64". One 100 watt white or

colored lamp.



V-1940 · Ceramic in eggshell white, gold speckle. Accented with embossed horizontal circles. Walnut top, brass canopy, white plastic cord. 7" wide, 58" length. One 100 watt white or colored lamp.



V-1190 • Polished brass cone perforated to create a lovely lighting effect. White interior finish. Opal glass diffuser with open bottom for easy relamping. Polished brass canopy, white plastic cord. 101/2" diameter, 12" high. Adjusts to 63" overall. One 100 watt lamp.



V-1165 • The ultimate in smart contemporary simplicity. A tribute to your good taste, perfect for almost any room. White glass, striped with crystal lines. White plastic cord, polished brass trim. 73/4" diameter, 12" high. Adjusts to 63" overall. One 100 watt lamp.

light VIRDEN

idea

Delightful decorative accents for corners, planters, breakfast bars, furniture groupings

V-1976 • Exotic describes this lovely pendant fixture with gracefully formed ruby red cased glass. Polished brass trim, white plastic cord. 71/2" diameter, 12" high. Adjusts to 62" overall. One 100 watt lamp.

One 100 watt lamp.







V-1961 • Warm walnut panels with polished brass accents are held in a cage of polished brass surrounding a pure white opal glass globe. Polished brass chain and canopy. Ideal light for a foyer, dining room or recreation room. 12" diameter, 48" overall. One 100 watt lamp.

Gives a New Look to Lighting

Dramatic designs in mellow walnut . . . to blend with contemporary or traditional decor . . . to point up the beauty of your furnishings . . . to add character and distinction to any room. Virden craftsmen have fashioned these exciting designs with the care of Old World cabinetmakers in order that your pleasure in them may last for years.

CHAIN SUSPENDED



CORD SUSPENDED

SPREADER KIT—Includes polished brass canopy with walnut wood arms in your choice of 3-4-5 arm or 3-in-line clusters, enabling you to create a variety of arrangements using Virden pendants.



V-1691 • 3 in line. 28" spread. 14" spacing between cords.



V-1692 • 3 light. 15" diameter. 71/2" from center to cord.



V-1693 • 4 light. 21" diameter. 10½" from center to cord.




V-1694 • 5 light. 27" diameter. 13½" from center to cord.

Accessories...

Virden accessories are designed for use with various Virden fixtures illustrated throughout this catalog. They can increase the utility, versatility and decorative value of the fixtures you select.

SWAG CHAIN KIT—Includes canopy, 14 ft. chain, 15 ft. cord with plug and on/off switch. Converts any chain suspended fixture to any ceiling location without ceiling outlet. Canopy attaches to ceiling, conceals splicing of fixture cord to swag cord. (Fixture not included.)


V-1797 • Antique Brass V-1798 • Antique Copper V-1799 • Polished Brass



V-1964 • CEILING TRACK—For any Virden pulldown. 6 ft. extruded aluminum track, satin white finish, 12 ft. cord, plug and splicing compartment. Enables pulldown to be moved to any ceiling location on track. (Fixture not included.)



ADJUSTABLE VALANCE BRACKET



* V-9192 • Valance board mounting kit. Extends 6" to 9".



V-9193 • 10 ft. cord and plug with feed through switch.



V-9191 ·
Joiner band,
Chromium.

Clip-on, ribbed white plastic shield.

V-9610 • For 15 watt strip. V-9612 • For 20 watt strip.

V-9613 • For 30 watt strip. V-9614 • For 40 watt strip.



V-9190 • End plate. Polished aluminum. (Includes pair)



ROUND HI-HATS
Pre-Wired or Un-Wired

14 GAUGE LARGE EASY ACCESS JUNCTION BOX AMPLE ½" & ¾" KNOCKOUTS

ADJUSTABLE SOCKET POSITION

> "V"-TENSION SPRING TRIM HOLDER

ALL-PURPOSE

VIRDEN RECESSED LIGHTING

SQUARE AND RECTANGULAR RECESSED
Pre-Wired or Un-Wired

BAKE WHITE

HOUSING OF HEAVY GAUGE STEEL WELDED CONSTRUCTION

"V"-TENSION SPRING TRIM HOLDER 14 GAUGE LARGE EASY ACCESS JUNCTION BOX AMPLE ½" & ¾" KNOCKOUTS

PLASTER FRAME SUPPLIED

SELECTION OF VARIOUS TRIMS AND FINISHES

DIE-CAST TRIMS ... NO LIGHT LEAKS


> SELECTION OF VARIOUS TRIM FINISHES, SIZES AND GLASS DIFFUSERS

LARGE POLISHED
ALUMINUM HI-EFFICIENCY
REFLECTOR


decorative / functional

UN-WIRED

PRE-WIRED



Unwired, 4 sizes. V-91 bar hangers not included.




Pre-wired, 5 sizes.
V-91 bar hangers included.
14 gauge junction box
with ½" and ¾" K.O.'s.

Heavy gauge steel housing, welded assembly. Housing hi-bake white, inside and outside. Efficient, polished aluminum reflector. "V" tension spring trim holder. Easy access to large pre-wired junction box. U.L. approved for maximum lamp wattages. Order size wanted from list shown at right.

GLASS DIFFUSERS* 5 types—22 sizes



Alba-Lite



Fresnel Lens



Molded Opal Glass



Bent Decorated Glass




Hand Blown Opal Glass (No trim required.)

DIE-CAST TRIMS* No light-spill construction




Polished Brass



Polished Copper



Chromium



Satin Aluminum




Satin White

*Order Diffuser and Trim (for size of box wanted) from list at right.

VIRDEN SQUARE


100 WATT SQUARE 8" x 8" x 4"

PRE-WIRED



V-23

UN-WIRED



V-13

DIE-CAST TRIMS

93/8" x 93/8"

V-30 Polished Brass

V-31 Polished Copper

V-32 Chromium

V-33 Satin Aluminum

V-34 Satin White

GLASS DIFFUSERS

V-35 Blown Opal (No Trim Required)

V-36 Alba-Lite

V-37 Molded Opal

V-38 Bent Decorated

V-39 Fresnel Lens

AND RECTANGULAR RECESSED LIGHTING




(WHEN ORDERING-HOUSING, TRIM AND DIFFUSER, LIST UNDER SEPARATE NUMBER.)

150 WATT SQUARE 10" x 10" x 4"

200 WATT SQUARE 12" x 12" x 4"


100 WATT RECTANGULAR 8" x 12" x 4" 200/300 WATT SQUARE 12" x 12" x 9"

PRE-WIRED




V-24

PRE-WIRED



V-25


PRE-WIRED



V-26


PRE-WIRED

VERTICAL LAMP




V-27

UN-WIRED




V-14

UN-WIRED



V-15

UN-WIRED



V-16

DIE-CAST TRIMS

113/8" x 113/8"

V-40 Polished Brass V-41 Polished Copper

V-42 Chromium

V-43 Satin Aluminum

V-44 Satin White

DIE-CAST TRIMS

133/8" x 133/8"

V-50 Polished Brass

V-51 Polished Copper

V-52 Chromium

V-53 Satin Aluminum

V-54 Satin White

DIE-CAST TRIMS

93/8" x 133/8"

V-60 Polished Brass

V-61 Polished Copper

V-62 Chromium

V-63 Satin Aluminum

V-64 Satin White

DIE-CAST TRIMS

133/8" x 133/8"

V-50 Polished Brass

V-51 Polished Copper

V-52 Chromium

V-53 Satin Aluminum

V-54 Satin White

GLASS DIFFUSERS

V-45 Blown Opal (No Trim Required)

V-46 Alba-Lite

V-47 Molded Opal

V-48 Bent Decorated

V-49 Fresnel Lens

GLASS DIFFUSERS

V-55 Blown Opal (No Trim Required)

V-56 Alba-Lite

V-57 Molded Opal

V-58 Bent Decorated

V-59 Fresnel Lens

GLASS DIFFUSERS

V-66 Alba-Lite

V-68 Bent Decorated

GLASS DIFFUSERS

V-55 Blown Opal
(No Trim Required)

V-56 Alba-Lite

V-57 Molded Opal

V-58 Bent Decorated

V-59 Fresnel Lens

IMPORTANT! Order housing, trim and diffuser separately. For example, to get a 100 watt pre-wired square with polished brass trim and Alba-Lite diffuser, specify: V-23-V-30-V-36

RECESSED HI-HATS MODERN CONCEALED LIGHTING

When Ordering: Number includes complete unit.

(U.L. approved for maximum lamp wattage)

Accent lighting in seven variations. Aluminum housing. Flat trim, satin white. Rust resistant snap-in outlet box. Copper screw shell prevents lamp freezing. Plaster ring furnished with all units.



SP-8000 Open Bottom R-30 Housing 4½" dia. x 5¾". Trim 5¾" dia. One R-30 75 watt Spot or Flood.



SP-8010 Open Bottom R-40 Housing 5½" dia. x 6%". Trim 7%" dia. One R-40 150 watt Spot or Flood.



SP-8020
Shower Light
Waterproof gasket. Housing
5½" dia. x 6¾". Trim 7½" dia.
One 75 watt.



SP-8030
Eyeball R-30
Pivots 45°. Swivels 358°.
Housing 5½" dia. x8". Trim 7 1/8"
dia. Ceiling penetration 6½".
One R-30 75 w. Spot or Flood.



SP-8005 Louvered R-30 Housing $4\frac{1}{2}$ " dia. x 7". Trim $5\frac{3}{4}$ " dia. 45° cutoff. One R-30 75 watt.



SP-8015 Louvered R-40 Housing 5½" dia. x 8". Trim 7%" dia. 45° cutoff. One R-40 150 watt.



SP-8025 Drop Opal Glass Housing $5\frac{1}{2}$ dia. x $7\frac{3}{4}$. Trim $7\frac{1}{8}$ dia. One 75 watt.

TWO-LAMP RECESSED FLUORESCENT 20-40 WATTS

Chromium trim hinges for easy relamping.

White flat glass diffuser. Attractive for kitchen,
bathroom, bedroom, recreation room.

V-8852 Two 40 watt Box size $8'' \times 48 \frac{1}{4}'' \times 5''$ depth. Trim size $10'' \times 50''$. Rapid Start, H. P. F.


V-8752 Two 20 watt Box size $8'' \times 24\frac{1}{4}'' \times 5''$ depth. Trim size $10'' \times 26''$. Quick Start, L. P. F.

FIT-ALL HI-HATS-Prewired, Unwired


When Ordering: List Housing and Trim under separate numbers. Example: 2" Diameter Aperture use V-8 Prewired Housing and V-120 Satin Brass trim.



Heavy gauge steel housing, Hibake white, inside and outside. Vertical adjustable lamp positions. "V" Tension spring trim holder. No light-spill construction.



V-8 Prewired Easy access 14 gauge junction box. 1/2" and 3/4" K.O.'s. V-91 bar hangers included.



V-7 Unwired Economy Hi-Hat. Various trim selections. V-91 bar hangers not included.



2" Aperture R-30 8" diameter trim. 75 watt. V-120 · Satin Brass V-121 · Chromium V-122 • Satin White



Louvered R-40 8" diameter trim. 150 watt. V-135 · Satin Brass V-136 · Chromium V-137 • Satin White



Bent Ceramic White Glass 8" dia. trim. 100 watt lamp. V-165 · Satin Brass V-166 · Chromium V-167 • Satin White



8" Bent Glass 10" diameter trim. Decorative pierced holes. 100 watt lamp. V-195 · Satin Brass V-196 · Chromium V-197 • Satin White



Open Bottom R-30 8" diameter trim. 75 watt. V-130 · Satin Brass V-131 · Chromium V-132 • Satin White



Gasketed Fresnel Lens For shower light, 8" dig. trim. 100 w. lamp. V-150 · Satin Brass

V-151 · Chromium V-152 . Satin White



Decorative Pierced Trim R-40 8" diameter. 150 watt lamp. V-145 · Satin Brass V-146 · Chromium V-147 · Satin White



Decorative Trim R-40 81/2" dia. decorative trim. 150 w. V-190 · Satin Brass V-191 · Chromium V-192 · Satin White



Louvered R-30 8" diameter trim. 75 watt. V-125 · Satin Brass V-126 · Chromium V-127 · Satin White



Gasketed Drop Opal Glass For shower light. 8" dia. trim. 100 watt lamp.

V-155 · Satin Brass V-156 · Chromium V-157 • Satin White



R-30 Eyeball 8" diameter trim. Pivots 45°, swivels 358°. 75 watt. V-180 · Satin Brass

V-181 · Chromium V-182 • Satin White



Hand Blown Opal Glass No trim required. V-170 93/8" diameter, 21/2" depth. One 100 watt lamp.



Open Bottom R-40 8" diameter trim. 150 watt. V-140 · Satin Brass V-141 · Chromium V-142 • Satin White



Flat Alba-lite Glass 8" dia. trim. 100 watt lamp. V-160 · Satin Brass V-161 · Chromium V-162 • Satin White



R-30 Eyeball—Louvered 8" diameter trim. Pivots 45°, swivels 358°. 75 watt. V-185 · Satin Brass V-186 · Chromium

V-187 • Satin White



Bent Decorated Glass No trim required. V-175 81/4" diameter, 11/2" depth. 100 watt lamp.



Warm Walnut Adds a Decorative Touch to Lighting for Large Areas





Hinged polished brass frame has touch latch for easy relamping.

V-4706 • (2 feet square) 6-light fluorescent fixture. Cube louvered white vinyl diffuser. Excellent for kitchen, dining area or game room. Polished brass trim. 4" deep. Six 20 watt Quick Start fluorescent lamps.

V-4694 • (16 inch square) 4-light incandescent fixture. Translucent Alba-lite diffuser. Ideal for large kitchen, family room, and recreation room. Polished brass trim. 4" deep. Four 60 watt lamps.

V-4682 • (16 inch square) Satin white finish bent glass. Gives plenty of soft diffused light. $4\frac{1}{2}$ " deep. Four 60 watt lamps.

Functional Fluorescents for High Level Illumination



Diffuser has reinforced metal frame, hinged for easy relamping.



Excellent fixture for high level illumination in residences, offices, and commercial applications. One piece wrap-around diffuser with a clear prismatic lens bottom and refracting lens side. Low surface brightness, light stable polystyrene. White end caps. Unit is $15\frac{1}{2}$ wide, 3" deep.

V-4744 • Length 49". Four 40 watt Rapid Start lamps.

V-4742 · Length 25". Four 20 watt Rapid Start lamps.

2-LAMP FLUORESCENT

V-4724 • For areas needing high light level. One piece wrap-around diffuser with translucent center "V" with a clear prismatic lens bottom and refracting lens side. Low surface brightness, light stable polystyrene. White end caps. Unit is 12" wide, 49" long, 3" deep. Two 40 watt Rapid Start lamps.



V-6952 · One 20 watt pre-heat fluorescent lamp.

V-6953 • One 20 watt Quick Start fluorescent lamp.

Under-cabinet light for countertop illumination. White baked enamel finish. Styrene diffuser. 2¾" wide, 24" long, extends 5". Convenience U-ground outlet and switch.



V-4728 • Tandem of two V-4724 units except with 8' long body. 4-40

V-4748 • Tandem of two V-4744 units except with 8' long body. 8-40

watt Rapid Start lamps.

watt Rapid Start lamps.

V-4676 • Sparkling amber iced reverse bend glass. Chromium trim. Ideal for kitchen, bathroom or dinette. 18" diameter, 4½" depth. Three 60 watt lamps.



V-4058 • A delightful design in a walnut ceiling fixture to add a touch of distinction to family room, library or den. White ceramic glass diffuser and polished brass trim. 20'' diameter, $5\frac{1}{2}''$ depth. Three 60 watt lamps.

Handsome Functional Designs for General Illumination

Excellent illumination for kitchen, laundry, workshop, recreation room.



V-4002 • Perforated polished brass shade on lined white glass diffuser. Polished brass trim. 17" diameter, 5" depth. Three 60-watt lamps.





V-4350 • Polished Brass V-4351 • Polished Copper

V-4352 · Polished Aluminum

Circular lines decorate white ceramic glass diffuser. $12\frac{1}{2}$ diameter, $4\frac{1}{2}$ depth. Three 60 watt lamps.

V-4340 • Polished Brass

V-4341 · Polished Copper

V-4342 · Polished Aluminum

9½" diameter, 4" depth. Two 60 watt lamps.



Available in a variety of lamp wattages; all with drop molded opal glass diffusers. Perforated metal sides.

Fixture No.	Size	Polished Finish	Watt Cap.
V-4100	6" x 41/2"	Brass	One 60W
V-4101	6" x 41/2"	Copper	One 60W
V-4102	6" x 41/2"	Aluminum	One 60W
V-4110	8" x 41/2"	Brass	One 100W
V-4111	8" x 41/2"	Copper	One 100W
V-4112	8" x 41/2"	Aluminum	One 100W
V-4120	10" x 41/2"	Brass	One 150W
V-4121	10" x 41/2"	Copper	One 150W
V-4122	10" x 41/2"	Aluminum	One 150W



V-4290 · Polished Brass

V-4293 · White

Perforated shade creates decorative pattern when lighted. White diffuser. 16'' diameter, 53/4'' depth. Three 60 watt lamps.



V-4360 • Attractive clear ice pattern on white glass diffuser. Polished brass trim. 17" diameter, 6" depth. Three 60 watt lamps.



Shallow, decorative 17" diameter reflector. White glass diffuser. $5\frac{3}{4}$ " depth. Three 60 watt lamps.

V-4550 • Polished Brass

V-4551 • Polished Copper

V-4553 · Satin Black and Brass



Classic opal glass diffuser with chromium trim. Excellent light diffusion.

V-609 • 9" dia., 5" depth. Two 60 watt. V-611 • 11" dia., 5" depth. Two 60 watt. V-613 • 13" dia., 5" depth. Three 60 watt. V-625 • 15" dia., 6" depth. Three 75 watt.



Molded white glass, crystal bottom louver. Chromium trim.

V-710 • 10" dia., 51/4" depth. Two 75 watt.

V-708 • 8" dia., 5" depth. Two 60 watt. V-706 • 6" dia., 43/4" depth. One 60 watt.





10" dia., 41/2" depth. Two 60 watt lamps.

V-4322 • Polished Chromium

V-4320 · Polished Brass

7" dia., 4" depth. One 60 watt lamp. **V-4310** • Polished Brass.

V-4312 · Polished Chromium

Circline Units*... compact fluorescent lighting



V-4970 • White plastic diffuser for use with center mounted 2- or 3-lamp circline fixture. Diameter $21\frac{1}{2}$, depth $5\frac{1}{2}$.



40-32-22 watt fluorescent. 113/4" dia., 43/8" depth.

V-4963 · Chromium V-4965 · White Engmel



40-32 watt fluorescent. 113/4" dia., 31/8" depth.

V-4953 · Chromium

V-4955 . White Enamel .

32-22 watt fluorescent. 113/4" dia., 43/8" depth.

V-4943 · Chromium

V-4945 • White Enamel

V-4946 • Polished Copper

32 watt fluorescent. 113/4" dia., 31/8" depth.

V-4933 · Chromium

V-4935 · White Enamel

VIRDEN Luminous Ceilings... Shadowless Lighting


Virden Luminous Ceilings provide full, perfectly distributed light...no glare, no shadows, no eyestrain. Ideal for kitchens, bathrooms, powder rooms, homes, and offices...make them look bright, cheerful, and efficient.

Virden Luminous Ceiling kits are packaged in 3 popular sizes to cover 48, 120, or 192 square foot areas. Diffusing panels and fluorescent strips must be ordered separately. Complete ordering information is shown below.

Virden Luminous Ceilings can be installed as wall to wall lighting, or as a recessed ceiling. No special tools are needed. Easy-to-follow illustrated instructions included in each kit. Installation is simple and fast.

SIMPLE 3-STEP INSTALLATION

- 1. Mount Virden fluorescent strips to ceiling.
- 2. Attach suspension grid system to ceiling and walls.
- 3. Insert diffuser panels in grid system.



VIRDEN FLUORESCENT STRIP AND DIMMER



For average illumination, use a minimum of one 40-watt strip for each 8 square feet of ceiling area. For higher, more efficient light levels, use the 2-light, 40-watt parallel strips.

FLUORESCENT DIMMER STRIP AND DIMMER CONTROL

	FIXTURE	LAMP	TYPE	LENGTH
*	LD-9160	1	40RSLPF/SCR (control fixture)	48"
**	LD-9161	1	40RSLPF/SCR (control fixture)	48"
***	LD-9162	1	40RSLPF/SCR (control fixture)	48"
	LD-9163	1	40RSLPF/SCR (auxiliary fixture)	48"
	LD-9165	1	40RSLPF/SCR (dimmer strip)	48"

FLUORESCENT STRIP-1 and 2-Light Rapid Start

LD-9133	1	30W Rapid Start LPF	36"
LD-9145	1	40W Rapid Start LPF	48"
LD-9146	1	40W Rapid Start HPF	48"
LD-9151	. 2	40W Tandem Preheat HPF	96"
LD-9153	2	40W Tandem Rapid Start HPF	96"
LD-9362	2	F40/Parallel Rapid Start	48"


See V-64 Price Sheet for other available fluorescent strip lights.

VIRDEN (SCR) FLUORESCENT DIMMER SYSTEMS

The new Virden Fluorescent Dimming System is one of the most versatile and efficient systems available for residential and commercial use. It operates at 95% of the rated lamp output with a 500 to 1 dimming ratio. From 1 to 36, 40-watt rapid start lamps can be operated from one intensity selector.

HOW TO ORDER FLUORESCENT DIMMER STRIPS

- *1. ONE-12 LAMPS For installations requiring dimming up to 12-lamps (maximum), order 1 LD-9160 and up to 11 LD-9165. Intensity selector with on/off switch is included with LD-9160 and installs into a single gang switch box.
- **2. 13-24 LAMPS For installations requiring dimming up to 24 lamps (maximum), order 1 LD-9161 control fixture, 1 LD-9163 auxiliary fixture, and up to 22 LD-9165 dimming fixtures. Intensity selector is included with LD-9161 and installs into standard 2 gang switch box. Separate on/off switch must be used.
- ***3. 25-36 LAMPS For installations requiring dimming up to 36 lamps (maximum), order 1 LD-9162 control fixture, 2 LD-9163 auxiliary fixtures, and up to 33 LD-9165 dimming fixtures. Intensity selector is included and installs into 2 gang switch box. Separate on/off switch must be used.



INTENSITY SELECTOR (SCR)

Controls from 1 to 36, 40-watt lamps. Installs into standard single and two gang wall boxes. Supplied with control fixtures LD-9160, LD-9161, and LD-9162.

2 - VIRDEN CEILING GRID

Chart shows parts packaged in each kit. For additional parts, where required for odd-size room or where room area is in between two grid system sizes, refer to illustrated diagram and chart with numerical identifications.

VIRDEN GRID SYSTEM KITS

V-8875 • 6' x 8' (48 sq. ft. room) V-8880 • 10' x 12' (120 sq. ft. room)

V-8885 • 12' x 16' (192 sq. ft. room)




When ceiling is less than standard kit size, reduction in size can be accomplished by using hacksaw or tin snips.

All Virden metal grid parts are electro-galvanized, bonderized, and finished with hi-bake enamel.

LOCATION ON DIAGRAM	STOCK NUMBER	DESCRIPTION	ILLUSTRATION	QUAN V-8875 6' x 8'	V-8880 10' x 12'	V-8885 12' x 16'
1 Strip	Fixtures—	See list at left				
2	F-545	Wall Channel 10 ft.		4	5	6
3	F-543	Main Tee 10 ft.	1	2	6	10
4	F-542	Cross Tee 2 ft.		9	25	42
5	F-544	Intersection Clip	4 >	6	20	35
6	V-8888	Grid Support		2	4	6
7	F-546	Channel Connector	1	-	2	4
8	F-547	Main Tee Connector	€2 1	-	4	5
9	F-548	Corner Cap (Inner)	C	4	4	4
	F-574	Corner Cap (Outer)	2	-	_	_
10	F-580	Hold-Down Clip 1/8"	g R		_	_
F-580-1		Hold-Down Clip 1/2"	Q Q	_	-	_

1. INSTALLATION OF FIXTURES. (a) Minimum requirements, one 40 watt Fluorescent lamp is recommended for every 8 square feet of luminous ceiling. (b) Fixtures should be mounted on centers of every 2 foot module.






2. WALL CHANNELS F-545-10 FT. LONG. For best results, grid assembly should be a minimum of 6" below finished ceiling, and approximately 7' 6" to 9' above floor level.



4. CROSS TEE F-542. All cross tees resting in the wall channel must be cut to desired lengths.



locked into main tee with intersection clip as shown. 6. GRID SUPPORT ASSEMBLY V-8888. One support is sufficient for

each main tee, located approximately on centers of the main tee lengths.

5. INTERSECTION CLIP F-544. All cross tees are


mension.




7. WALL CHANNEL CONNECTOR F-546. Connector snaps in place to join wall channels.



8. MAIN TEE CONNECTOR F-547. To join main tees, joiner snaps on bead of both main tees.



9. CORNER CAP F-548 INNER-F-574 OUTER. Snap over wall channels joints.



10. HOLD DOWN CLIP F-580-F-580-1. Use two per diffuser to lock in place.

3 · VIRDEN DIFFUSER PANELS

Virden diffuser panels are available in 2 sizes; $2' \times 2'$ (4 sq. ft.) and $2' \times 4'$ (8 sq. ft.). Order enough panels to cover the square foot area of the room. Panels can be cut easily for corners or for smaller size fill-ins.



V-8878 · Size 2' x 2' (4 sq. ft.) V-8879 • Size 2' x 4' (8 sq. ft.)

Light stable white translucent polystyrene, one side serrated to increase diffusion.



V-8900 · Size 2' x 2' (4 sq. ft.) V-8901 • Size 2' x 4' (8 sq. ft.)

Light, stable, destaticized, white translucent polyvinyl, perforated for maximum efficiency. U.L. listed as "self-extinguishing." 45° shielding in every direction. 1/2 inch cubed louvers.

Accent on Design Exciting New Glamor for the Bath

Antique brass, polished pewter, rich walnut...the ageless charm of filigree and ornate carved effects.. the lovely glow of light through milk white opal glass...all combine to help you give bath or powder room the fashionable new look of beauty.



V-6530 • Looking for all the world like hand wrought gold, this beautiful polished brass setting holds a gem of pure white glass. A delightful wall bracket for a powder room. 61/4" width, 12" length, 51/4" depth. One 75 watt lamp.
V-6531 • Polished Pewter



V-6536 • Framed in the romantic glow of polished pewter, cast to resemble the silversmith's art, a jewel-like white opal glass diffuser casts flattering light in bath or powder room. 5½" width, 20" length, 5" depth. Two 75 watt lamps. V-6535 • Polished Brass



V-6540 • Daintily feminine, with its swirled white opal glass diffuser held in a golden setting of polished brass with charming brass spring decor. An enchanting touch for bath or boudoir. 4½" diameter, 13" length, 7½" extension. On/off switch. One 75 watt lamp.

V-6541 · Polished Pewter



V-6546 • Charming wall bracket of swirled milk white opal glass in a "napkin ring" of richly sculptured polished pewter. Exquisite accent for bathroom accessories. 4" diameter, 15" length, 61/4" extension. On/off switch. Two 75 watt lamps. V-6545 • Polished Brass.










V-6572 • Handsome, masculine walnut wood encased in a frame of gleaming satin aluminum and a simple white glass diffuser form this perfect wall bracket for a man's bath or dressing room. 5 3/8" width, 21" length, 4 1/4" extension. Switch and U-ground convenience outlet. Two 75 watt lamps.

V-6563 • Contemporary masterpiece in walnut wood panel with chromium tipped ends holding a classic white glass diffuser. Ideal note for a wood paneled bath. 5½" width, 22" length, 4½" extension. Switch and U-ground convenience outlet. Two 75 watt lamps.

V-6566 • Delightful pewter filigree frame for a picture of loveliness. Softly rounded pure white glass diffuser emits flattering light. A real collector's piece. 5\%" width, 18\\%" length, 4\\%2" extension. Switch and U-ground convenience outlet. Two 75 watt lamps.





V-6160 • Vertical wall bracket in antique brass and white opal glass for the powder room. 41/4" diameter, 19" length, 71/4" extension. On/off switch. One 100 watt lamp.



Decorative Flattery In Lighting for the Bathroom

Give bathrooms and powder rooms a beauty treatment
with flattering new fixtures that reflect today's
higher standards of good taste.



V-6155 • Luxurious polished pewter wall bracket with delicately scalloped white opal glass shade. 5¾" diameter, 9½" length, 8" extension. On/off switch. One 75 watt lamp.



V-6157 • Twin wall bracket elegantly styled in polished pewter, delicately scalloped opal glass shades. Compliments any color scheme. $9\frac{1}{2}$ " length, $14\frac{1}{2}$ " spread, $7\frac{1}{2}$ " extension. On/off switch. Two 75 watt lamps.



Exciting contemporary wall fixture with classic white opal globes, set in a rich walnut panel with satin aluminum trim. 5% dia. globes, 63% extension.

V-6590 • 3-75W lamps. 21" length. W/U ground c/o.

V-6591 • 3-75W lamps. 21" length. W/U ground c/o and switch.

V-6595 • 5-75W lamps. 35" length. W/U ground c/o.

V-6596 • 5-75W lamps. 35" length. W/U ground c/o and switch.

Sleek tapered wall bracket with glittering crystal beaded design. 43/4" backplate diameter, 13" length, 5" extension. One 75 watt lamp.

V-6550 • Polished brass. Push switch.

V-6551 • Chromium with convenience outlet.






Functional One and Two Lamp Fluorescents

Clear light stable styrene diffuser. Linear refracting lens top and bottom. Polished chromium end caps. Can be mounted singly or continuous row with joiner strip shown.


Fixture No.	Size	Ballast and Lamps*	Other Specifications
V-6924	24" x 41/4"	QS-LPF-UL 2F20T12	No outlet or switch
V-6925	24" x 41/4"	QS-LPF-UL 2F20T12	U-Ground outlet; switch
V-6934	36" x 41/4"	RS-HPF-UL 2F30T12	No outlet or switch
V-6935	36" x 41/4"	RS-HPF-UL 2F30T12	U-Ground outlet; switch
V-6940	48" x 41/4"	RS-LPF-UL 1F40T12	No outlet or switch
V-6941	48" x 41/4"	RS-LPF-UL 1F40T12	U-Ground outlet; switch
V-6944	48" x 41/4"	RS-HPF-UL 2F40T12	No outlet or switch
V-6945	48" x 41/4"	RS-HPF-UL 2F40T12	U-Ground outlet; switch





V-6910 · Joiner Strip. Chromium. For continuous row mounting of fixtures V-6924 through V-6945.







Classic white opal glass in a sleek double cone wall bracket. $16\frac{1}{2}$ " length; $4\frac{1}{2}$ " backplate; 6" extension. Two 75 watt lamps.

V-6445 • Chromium. Push switch and convenience outlet.

V-6446 • Polished brass. Push switch.



Sparkling beaded design decorates this attractive ceramic white hourglass shaped wall bracket. $5\frac{1}{2}$ " diameter; 18" length; 4" extension. Two 75 watt lamps.

V-6556 • Chromium. Convenience outlet.

V-6555 • Polished brass. Push switch.

Bathe Your Bathroom in Beautifying Light

Never has the bath been so inviting. Today's decorators use light not only for convenience but for bringing out the beauty of your decor.

Many fixtures available with "U" grounded outlets for your convenience and safety.



Decorative white glass with crystal stipple. Chromium trim. $4\frac{1}{2}$ width. Extends 5".

V-6421 · 16" long. "U" ground c/o. 2-60 watt lamps.

V-6422 • 16" long. Switch, "U" ground c/o. 2-60 watt lamps.

V-6441 · 24" long. "U" ground c/o. 4-60 watt lamps.

V-6442 • 24" long. Switch, "U" ground c/o. 4—60 watt lamps.

V-6461 · 36" long. "U" ground c/o. 6—60 watt lamps.

V-6462 • 36" long. Switch, "U" ground c/o. 6-60 watt lamps.



White ceramic glass with crystal bottom. Chromium holder, $11\frac{1}{2}$ length, $5\frac{1}{2}$ width. Extends 5".

V-6455 • "U" ground c/o. 2—60 watt lamps. V-6456 • "U" ground c/o. K.O. for switch. 2—60 watt lamps.

V-6457 • C.O. and Push Switch. 2—60 watt lamps.



Ceramic white glass with decorative design. 8'' length. $4\frac{1}{2}''$ extension.

V-6320 • Gold beaded design. Polished brass trim. Turn switch. 1—75 watt lamp.

V-6322 · Crystal beaded design. Chromium trim, C.O. Turn switch. 1—75 watt lamp.



V-6580 • Ribbed white ceramic glass. Chromium trim. 9" length. 3¾" diameter. 4¾" extension. "U" ground c/o. On/off switch. One 75 watt lamp.



White ceramic glass with crystal bottom. Chromium holder, 9" extension. 6" width.

V-6609 · One 75 watt lamp.

V-6610 • "U" ground c/o. One 75

V-6611 • "U" ground c/o. On/off

switch. One 75 watt lamp.




White glass with diamond crystal pattern. Chromium trim. $5\frac{3}{4}$ width. 4 extension.

V-6625 • 22" length. Four 75 watt lamps.

V-6626 • 22" length. "U" ground c/o. Four 75 watt lamps.

V-6627 · 22" length. "U" ground c/o. On/off switch.

Four 75 watt lamps.



V-6620 • 13" length. Two 75 watt lamps.

V-6621 • 13" length. "U" ground c/o. Two 75 watt lamps.

V-6622 · 13" length. "U" ground c/o. On/off switch.

Two 75 watt lamps.

Functional Fluorescents for Convenience and Eye Comfort



V-6971 • 18" length For 15 watt Fluorescent

V-6972 • 24" length For 20 watt Fluorescent

V-6973 • 36" length For 30 watt Fluorescent

V-6974 • 48" length For 40 watt Fluorescent White Ceramic Glass Clip-On, Adjustable

V-6981 • 20" length For 15 watt Fluorescent

V-6982 • 26" length For 20 watt Fluorescent





Polished Chromium strip. 23/4" width.

V-6962 • 24" length. One 20 watt Q.S. lamp.


V-6963 • 36" length. One 30 watt R.S. lamp.

V-6964 • 48" length. One 40 watt R.S. lamp.

(Lamp not included)



V-6960 • Chromium plate to cover 41/4" diameter outlet box.



"U"-grounded outlet and switch.

V-6816 • 21" length. 15 watt. With starter.

V-6817 • 21" length. 15 watt Q.S.

V-6821 • 27" length. 20 watt. With starter.

V-6822 • 27" length. 20 watt Q.S.

(Lamp not included)






V-3268



V-3230



V-3118



V-3260



V-3224 V-3226



V-3258



V-3263



V-3230 · Linen patterned white bent glass with polished

V-3268 • A gay contemporary elliptical design adorns the crystal outer glass. 19" diameter. Four 60 watt lamps.

V-3118 • A simulated traditional cut glass design. Polished brass trim. 18" diameter. Four 60 watt lamps.

Floral crystal design etched on white ceramic glass. Polished brass trim. Four 60 watt lamps.

V-3226 • 16" square V-3224 • 14" square

V-3263 • Dainty fine-etched lineal crystal design on white bent glass. Folished brass trim. 17" diameter. Four 60 watt brass trim. 16" square. Four 60 watt lamps. V-3260 • A splash of delicate pink and blue color in modern

design decorates white glass. Polished brass trim. 16" diam-

eter. Four 60 watt lamps. V-3258 · Sophisticated formal design on artfully formed

white glass. Polished brass trim. 15" diameter. Three 60 watt lamps.

V-714 · Modernistic design on white glass gives unusual shadow effect. Polished brass trim. 14" square. Two 60 watt lamps.

New Shapes and Designs
in Bent Glass to Harmonize
with Modern, Contemporary
or Early American Decor

Beautifully styled ceiling lights crafted in satin white or crystal glass... decorated to enhance any decor

V-3276 • Sparkling amber ice and white pattern, around this reverse bend glass. Polished brass trim. 18" diameter. Four 60 watt lamps.

V-3247 • Charming Early American design in rich maple wood and white ceramic glass. Polished brass trim. 17" square. Four 60 watt lamps.

Lively animated leaf design in 14 carat gold on white glass. Polished brass trim.


V-3167 • 16" square. Four 60 watt lamps.

V-3166 • 14" square. Four 60 watt lamps.

V-3165 • 12" square. Two 60 watt lamps.

V-3271 • Beautiful crystal iced ovals on white glass. Polished brass trim, 19" diameter. Four 60 watt lamps.

V-3255 • Dainty crystal hobnail pattern on undulating white fluted glass. Polished brass trim. 15" diameter. Three 60 watt lamps.





Decorated Bent Glass Units... Soft Light for Any Room

V-3253 · Gay free-flowing crystal swirl pattern on white glass. Polished brass trim. 13" diameter. Two 60 watt lamps.

V=3135 • Dainty crystal ice design on white glass with scalloped edges. Polished brass trim. 13" diameter. Two 60 watt lamps.

V-3214 · Crystal beaded design with simulated cut pattern. Polished brass trim. 14" diameter. Two 60 watt lamps.

French white glass with clear crystal etching. Brass trim.

V-614 • 14" square. Four 60 watt lamps.

V-512 • 12" square. Two 60 watt lamps.

V-3270 • Exotic amber iced oval design on white glass. Polished brass trim. 19" diameter. Four 60 watt lamps.

V-3185 • Sandblast white glass with geometric etched design. Polished brass trim. 16" square. Four 60 watt lamps.

V-3265 • Flaring crystal beaded design on white ceramic glass. 18" diameter. Four 60 watt lamps.

V-1615 • White etched glass with clear glass design. Brass accent. 15" diameter. Three 60 watt lamps.



V-3216 • Flowing etched design on white bent glass with polished brass trim. 16" square. Four 60 watt lamps.

V-3250 • Soft fluted glass styling on white bent glass. Polished brass trim. 13" diameter. Two 60 watt lamps.

Silver beaded sunburst design on white glass with polished brass trim. Four 60 watt lamps.

V-3239 · 19"

V-3236 · 16"

V-3719 • Decorative swirl etched design on white glass. Polished brass trim. 19" diameter. Four 60 watt lamps.

V-3819 • Sunburst effect created by thousands of gold bead diffusers. White inner bowl. Polished brass trim. 19" diameter. Four 60 watt lamps.

V-3244 • Sparkling crystal hobnail pattern on white glass. Polished brass trim. 16" square. Four 60 watt lamps.

Lovely satin finished white glass rimmed with polished brass accent. $% \label{eq:continuous}$

V-3517 • 17" diameter. Four 60 watt lamps.

V-3515 • 15" diameter. Three 60 watt lamps.

V-3170 • White glass with gray simulated cut design. Polished brass trim. 12" square. Two 60 watt lamps.

Practical Ceiling Units... Flexible Accent Lighting

Add Beauty and Convenience to Hallways,
Utility Rooms and Closets with Ceiling Lighting . . .
Safety with Decorative Appeal for Porches,
Patios and Breezeways.



V-5675 • Suntan reed accented with polished brass. 6½" diameter, 8" length. One 100 watt lamp.



V-4673 14" diameter. Three 60 watt lamps.

V-4672 11" diameter. Two 60 watt lamps.

Suntan reed interwoven with brass strands. Crystal beaded glass. Polished brass trim. 5'' depth.



V-810 10" diameter. Two 75 watt lamps. V-808 8" diameter. Two 60 watt lamps.

Nautical flair. Maple wood spokes, decorated ivory glass with louvered crystal bottom. 5½" depth.



V-2808 • Charming Colonial ceiling light. Frosted glass with decorative hand cut design. Polished brass trim. 9" diameter, 5" depth. Two 60 watt lamps.



Graceful ceiling fixture of decorated white frosted glass with polished brass trim. 4" depth.

V-5065 10" diameter. Two 60 watt lamps.

V-5060 8" diameter. One 60 watt lamp.



V-5350 • White decorated glass with crystal bottom lens. Polished brass canopy. $6\frac{1}{2}$ " length. One 75 watt lamp.



V-5045 • Fluted clear glass ceiling light with polished brass trim. 43/4" diameter, 6" depth. One 75 watt lamp.



V-317 • Clear jewel-like glass ceiling light with polished brass canopy. 6½" diameter, 6½" length. One 75 watt lamp.



V-400 • Ivory Luminaire, strap included. 51/4" diameter, 3" depth.





V-5000 Satin Brass V-5002 Satin Aluminum

Surface mounted eyeball. Adjusts 45° from vertical 358° rotation. $6\frac{1}{2}$ diameter, 6'' length. One R-30, 75 watt spot or flood type lamp.



V-6200 • Polished Brass V-6201 • Polished Copper V-6202 • Satin Aluminum

Perforated downlight with crystal lens. 5¾" diameter, 7¾" length. One 100 watt lamp.



V-6261 • Polished Copper V-6260 • Polished Brass V-6262 • Satin Aluminum

Two light wall mount adjustable bullet, perforated reflector. 9" height, 5" backplate. Three-way switch. Two R-30, 75 watt lamps.

ALL BULLETS ARE CONSTRUCTED OF WEATHERPROOF MATERIALS AND HAVE PORCELAIN COPPER SHELL SOCKETS FOR OUTDOOR USE



V-6212 · Satin Aluminum V-6210 · Polished Brass

Adjustable bullet, end mount. Perforated reflector. 9" length, 5" backplate. On/off switch. One R-20, 30 watt lamp.

V-6220 • Polished Brass V-6221 • Polished Copper

V-6222 · Satin Aluminum

Adjustable end mount bullet. Perforated reflector. 103/4" length, 5" backplate. One R-30, 75 watt lamp.

V-6225 • Polished Brass V-6226 • Satin Aluminum

Adjustable end mount bullet. $12\frac{1}{4}$ " length, 5" backplate. One R-40, 150 watt lamp.



V-6231 • Polished Copper V-6230 • Polished Brass V-6232 • Satin Aluminum

Adjustable side mount bullet. Perforated reflector. 9" length, 5" backplate. On/off switch. One R-30, 75 watt lamp.

V-6235 • Polished Brass V-6236 • Satin Aluminum

Adjustable side mount bullet. $10\frac{1}{2}$ length, 5" backplate. One R-40, 150 watt lamp.



V-6250 • Polished Brass V-6251 • Polished Copper V-6252 • Satin Aluminum

Adjustable end mount bullet. Perforated reflectors. 1034" length, 5" backplate. Two R-30, 75 watt lamps.

V-6255 • Polished Brass V-6256 • Satin Aluminum

Adjustable end mount bullet, 121/4" length, 5" backplate. Two R-40, 150 watt lamps.

V-6273 • Black louver for bullets using R-30, 75 watt lamps. Clips for color lens.




V-6274 • Black louver for bullets using R-40, 150 watt lamps. Clips for color lens.



V-7908 • Wrought iron bracket with rustic redwood name sign. Fits all Virden posts. Extends 16½". Sign is 14" x 5½".

Outdoor Posts

OUTDOOR POSTS Adjustable. Telescope from 4' 9" to 7' 6". Standard 3"
O.D. Heavy gauge aluminum drilled for conduit.



V-7900 • Black. 3" O.D. Adjusts 57"

V-7901 • Black, 3" O.D. With ladder bar. Adjusts 57" to 90".

V-7902 • White, 3" O.D. With ladder bar. Adjusts 57" to 90".



V-7907 • Ornamental wrought iron post. 4" square, 82" high. 3" fitter. Satin black finish.

V-7896 • Colonial satin white post. 3" O.D., Length 80" to 90".

V-7898 • Satin black post with U-ground convenience outlet. 3" O.D. Length 80" to 90".





Outdoor Post Lanterns

V-7815 • Colonial post lantern of durable plastic. Satin black with polished brass trim, bevel plastic panels, frosted glass chimney. 15" square, 18½" height. One 100 watt lamp.



V-7873 · Handsome Colonial post lantern. Satin black aluminum with polished brass fretwork trim. 9½" square, 14" high. One 100 watt lamp.



V-7921 V-7923 W/U-Ground C/O

VIRDEN MIND-O-LIGHT® OUTDOOR POST LIGHT CONTROLS. Automatically turn lights on at dusk, off at dawn. Not affected by auto headlights. Safe, economical. Can be over-controlled with house switch. Unit easily installed on standard 3" post. 300 watt maximum. Satin black finish.



V-874 • Smart modern design post lantern. Satin black and brass, satin white glass in ribbed design. 14" diameter 16½" high. One 100 watt lamp.



V-7850 • Elegant 3-light post lantern of charcoal optic glass. Satin black with polished brass trim. $10\frac{1}{2}$ " diameter, $21\frac{1}{2}$ " high. Three 60 watt lamps.



V-7876 • Satin White and Brass

An authentic replica of the gaslight era with crystal clear glass windbreak
and etched glass chimney. 12" diameter, 24" high. One 150 watt lamp.



V-7845 • A contemporary version of the gaslight era, satin black scalloped shade accenting the clear glass. Polished brass trim. 1134" diameter, 22" high. One 100 watt lamp.



V-873 • Satin White

V-872 • Satin Black

Traditional Colonial post lantern of CAST ALUMINUM finished in choice
of satin white or black, trimmed in polished brass. Frosted glass chimney,
clear glass panels. 10½" square, 18" high. One 100 watt lamp.

NOTE: ALL POST LANTERNS FIT STANDARD 3" POSTS AND ARE CONSTRUCTED OF WEATHERPROOF MATERIALS FOR OUTDOOR USE

Imaginative New Designs... for the Distinguished Look Outdoors...or Indoors



V-7170 • Satin Brass
V-7171 • Satin Black and Brass
Glamorous contemporary version of the carriage light. 6"
square, 23" length, 8½" extension. One 75 watt lamp.



V-7145 • Charming gaslight era wall lantern in satin black with scallop decoration and polished brass trim. 113/4" diameter, 22" length, 13" extension. One 100 watt lamp.



V-7176 • Impressive formal wall lantern in satin black and brass with square bent glass panels framed in brass. 6" square, 14½" length, 7" extension. One 75 watt lamp.
V-7175 • Polished Brass



V-7135 • A flaring clear glass bowl, shallow depth. Unusually smart design 3-light cluster wall lantern. Satin black and polished brass. 14" diameter, 19" length, 16" extension. Three 60 watt lamps.



Contemporary and Transitional Wall and Ceiling Lanterns for Indoor or Outdoor Use

Choose the style that blends with your architecture... and make your home distinctive




V-7126

V-7125

Satin White and Brass Satin Black and Brass

Handsome wall lantern with new graceful hand blown charcoal-colored glass. Accented with polished brass trim to add a note of sophistication to interior or exterior walls. 7" diameter, 18¾" length, 9¼" extension. One 75 watt lamp.



V-7010 · Beautifully simple wall lantern in die-cast satin aluminum with white opal glass. Perfect with modern or contemporary decor. ·8½" diameter, 7½" length, 9¾" extension. One 100 watt lamp.



V-7160 • Dramatic wall-lantern in satin black and polished brass with clear glass. Handsome along a gallery wall, or flanking a doorway. 12" diameter, 22" length, 13" extension. One 75 watt lamp.



V-7410 • Ceiling light in sleek die-cast satin aluminum and white opal glass. $8\frac{1}{2}$ " diameter, $8\frac{1}{2}$ " length. One 100 watt lamp.





V-7131

V-7130

Satin White and Brass

Satin Black and Brass

Strikingly imaginative wall lantern with sophisticated new charcoal-colored hand blown glass decorated with accenting luster gold design. Polished brass trim. 71/4" diameter, 19" length, 9" extension. One 75 watt lamp.



V-7155 • Exciting charcoal glass hand blown into a cage of STAINLESS STEEL WIRE. Satin black and polished brass trim. Unusually distinctive. 8'' diameter, $21\frac{1}{2}''$ length, $9\frac{1}{4}''$ extension. One 100 watt lamp.



V-7863 • Decorative wall lantern with wrought iron scroll. Black with polished brass trim, clear glass panels. 14" high, $9\frac{1}{2}$ " square, 26" wide overall, extends 12". One 100 watt lamp.




V-7853 · Handsome transitional wall lantern in black with polished brass trim, clear glass panels. 14" high, 9½" square, extends 12". One 100 wait lamp.

NOTE: ALL OUTDOOR LANTERNS ARE CONSTRUCTED OF WEATHER RESISTANT MATERIALS



V-7107 • Decorative wall lantern in satin black and polished brass with a lovely ribbed white glass diffuser, crystal lens bottom. 7" diameter, 9" length, 9" extension. One 75 watt lamp.





V-7600 • Portable garden light for flower beds or walks. 18" dia. fiberglass shade in Tole green and white. 32" high (with spike). Complete with 10' cord and plug. Can be permanently installed. One 100 watt lamp.



V-7951 • Single light swivel for outdoor flood lighting. Cadmium plated steel. For flood or spotlights. One PAR 38 lamp.




V-7952 • Same as V-7951, except double socket swivel. Can be mounted on wall or under overhang. Two PAR 38 lamps.

V-7605 • Portable garden or driveway light. Louvered, cast aluminum finished in Tole green. Complete with 12' cord, plug and ground spike. 30" high (with spike). One 75 watt lamp.

Portable Garden Lighting

Adds New Beauty To Flowers and Trees at Night






V-7606 • Same as V-7605, but without cord and spike, for mounting to $\frac{1}{2}$ " conduit. $8\frac{1}{2}$ " high. One 75 watt lamp.

Weatherproof Outdoor, Wall and Garden Lighting Fixtures









V-7982 • Modern wall bracket in satin aluminum with white opal glass. Matches V-7882. 7" high, extends 6". One 75 watt lamp.



V-7353 • Contemporary wall bracket in satin black finish with polished brass trim. White ceramic glass with clear crystal bottom lens. Height 6½", extends 6". One 75 watt lamp.



Handsome contemporary wall lantern. White opal glass, perforated base. 9" high, $6\frac{1}{2}$ " x $7\frac{3}{4}$ " backplate. One 75 watt lamp.

V-7960 • Polished Brass & Black



V-7961 • Polished Copper & Black



V-7910 • Striking contemporary carriage lamp. Black with white opal glass and polished brass trim. 13" high, extends 8½", 4¾" backplate. One 75 watt lamp.



V-7830 • Tapered contemporary ceiling light. White opal glass with black top and arms, polished brass base. 8½" high, 7" diameter, 4¾" canopy. One 75 watt lamp.



V-7930 • Matching contemporary wall lantern. White opal glass with black and polished brass trim. 9" high, extends 8½". 4¾" backplate. One 75 watt lamp.



V-7436 • $9\frac{1}{8}$ " square, $3\frac{3}{8}$ " deep. Satin Black. Two 60 watt lamps.

V-7435 · Polished Brass



V-7430 • 8" square, 31/8" deep. Polished Brass. One 60 watt lamp.

V-7431 · Satin Black

Ceiling lantern weatherproofed for outdoor use. Frosted glass.



Wall lantern with molded clear glass fluted design. 5'' diameter, $7\frac{3}{8}''$ length, 7'' extension. One 75 watt lamp.

V-7167 • Satin Black V-7166 • Polished Copper V-7165 • Polished Brass



V-7047 • Traditional wall lantern in weatherproof aluminum with satin black finish. Simulated handmade glass panels. Polished brass trim. 7" width, 8" length, $5\frac{1}{2}$ " extension. One 75 watt lamp.



V-975 · Satin Black



V-976 · Satin White

Traditional carriage style lantern in weatherproof aluminum. Beveled clear glass panels, polished brass trim. 7'' square, $16\frac{1}{2}''$ height. One 75 watt lamp.



V-7455 • Elegant chain drop lantern of hand blown amber glass set in stainless steel cage with polished brass trim. Adds a note of richness to traditional decor. 8" diameter, 36" overall. One 100 watt lamp.

NOTE: ALL FIXTURES SHOWN ARE CONSTRUCTED OF WEATHERPROOF MATERIALS FOR OUTDOOR USE

Weatherproof Wall Brackets and Ceiling Units... for Porch or Patio







V-408 · Antique Copper

V-409 · Satin Black

Authentic antique design wall lantern. Antique copper or satin black finish. Crackled clear glass shade. 7½" height, 63/4" extension. One 75 watt lamp.



V-970 · Satin Black

V-971 · Satin White

Contemporary version of yesteryear's carriage light. Fashioned in aluminum, finished in choice of satin black or satin white with polished brass trim. Beveled clear glass panels. $5\frac{1}{2}$ " square, $12\frac{1}{2}$ " high. One 75 watt lamp.



V-673 · Black

V-674 · Antique Copper

Handsome forged iron ceiling light in choice of cast aluminum, black or antique copper, weathered finishes. Simulated handmade crackled glass panels. 91/2" square, 31/2" deep. Two 60



V-7773 · Black and Brass



V-7775 · Forged Iron

Forged iron wall bracket to match ceiling unit above. Simulated handmade crackled glass panels. Choice of black and polished brass or cast aluminum with forged iron finish. 7" square, 81/2" high. One 100 watt lamp.



V-7114 · New elegance in an antique brass wall lantern with charcoal glass in vertical aptic design. Exquisite detail makes it a distinctive addition to the home where finishing touches are important. 5" diameter, 101/2" length, 71/2" extension. One 75 watt lamp.

Designed and manufactured by
THE JOHN C. VIRDEN COMPANY

All fixtures shown are reproductions of actual color photographs.

A.I. A. 31-F-2 R. A.I. C. 31-F-23 U.L. and C.S.A. APPROVED

COPYRIGHT 1963 JOHN C. VIRDEN COMPANY




THE PREFERRED NAME IN RESIDENTIAL LIGHTING

For more than 45 years skilled Virden craftsmen have been manufacturing lighting fixtures of the highest quality. Virden designers continually anticipate new lighting trends and present fixtures of the latest fashion and function. The Virden name and background are your constant assurance of quality and satisfaction.

See your Dealer or Distributor for other Virden Lighting catalogs.



JOHN C. VIRDEN COMPANY • 6103 Longfellow Ave. • Cleveland 3, Ohio JOHN C. VIRDEN LIMITED • 19 Curity Ave. • Toronto 16, Ontario



USER PRICES

EFFECTIVE DATE MAY 1, 1963



MANUFACTURED BY JOHN C. VIRDEN CO., CLEVELAND 3, OHIO

CATALOG NUMBER V-64

GENERAL TERMS AND INFORMATION

- 1. All fixtures are union made and carry the I.B.E.W. (A.F.L.) label.
- 2. Fixtures are approved and carry the label of Underwriters Laboratories, Inc.
- 3. Prices subject to change without notice. Merchandise returned to us without authorization will not be accepted.

FIXTURE	PAGE	USER	FIXTURE PAGE	USER	FIXTURE PAGE	USER	FIXTURE PAGE	USER
NUMBER	NUMBER	PRICE	NUMBER NUMBER	PRICE	NUMBER NUMBER	PRICE	NUMBER NUMBER	PRICE
V-317		\$ 3.10	V-118619	\$38.20	V-172121	\$21.35	V-313556	\$ 6.70
V-400		2.15	V-119031	19.10	V-1730 19	21.35	V-3165 55	6.7
V-408		8.95	V-119531	24.70	V-1731 21	16.85	V-316655	10.1
V-409		7.40	V-119829	31.45	V-1734 19	21.35	V-3167 55	13.4
V-512		3.65	V-1226 27	39.35	V-1735 20	44.95	V-3170 57	3.6
V-609		7.40	V-1306 5	73.10	V-1736 18	52.85	V-318556	9.5
V-611		9.65	V-1316 5	106.90	V-174120	13.45	V-3214 56	7.8
V-613		12.90	V-1385 9	90.00	V-174218	16.85	V-3216 57	10.1
V-614		6.15	V-1392 8	39.35	V-175120	14.60	V-322454	7.8
V-625 V-672		16.85	V-1394 8	56.20	V-176120	39.35	V-322654	9.9
V-673		10.10	V-1396 8	73.10	V-1764 7	50.60	V-323054	10.1
V-674		10.10	V-142515	95.65	V-17656	95.65	V-323657	12.3.
V-706		3.90	V-1455	73.10	V-17676	29.25	V-323957	14.6
V-708		5.40	V-1464 27	33.70	V-17696	34.25	V-324457	10.6
V-710		7.00	V-154024	28.10	V-177023	48.35	V-324755	28.1
V-714		5.60	V-154521	112.40	V-177223	50.60	V-325057	7.8
V-714 V-808		8.95	V-155024	22.45	V-177323	59.90	V-3253 56	5.0
		11.20	V-155124	22.45	V-177423	44.90	V-325555	9.6
V-810			V-155324	20.20	V-177622	48.35	V-325854	11.2
V-872		31.45	V-1609 4	56.20	V-177722	48.35	V-326054	12.3
V-873		31.45	V-1613 4	95.60	V-177822	44.95	V-326354	15.7
V-874		17.95	V-161556	7.85	V-1781	33.70	V-326556	14.6
V-970		14.60	V-1618	133.75	V-178519	32.60	V-326854	19.1
V-971		14.60	V-1619 2	133.75	V-1786	32.60	V-327056	15.7
V-975 V-976		16.85 16.85	V-1621 3	34.25	V-179310	61.75	V-327155	15.7
			V-1622 3	34.25	V-179511	78.65	V-327655	15.7
V-1015		30.35	V-1624 3	41.75	V-179734	13.45	V-351557	10.1
V-1102		29.20	V-1625 3	41.75	V-1798	13.45	V-351757	12.3
V-1113		26.45	V-1627 3	49.25	V-1799	12.35	V-371957	14.6
V-1118		29.20	V-1628 3	49.25	V-183530	16.85	V-381957	17.9
V-1119		28.10	V-1631 7	39.40	V-1860	67.45	V-400244	17.9
V-1120		20.20	V-1634 7	46.40	V-1861	78.75	V-40179	56.2
V-1124		50.60	V-1636 7	123.75	V-188514	31.45	V-4018	19.1
V-1127		56.20	V-163814	15.70	V-193031	19.10	V-4019	17.9
V-1134		33.70	V-1647 22	50.60	V-193530	24.70	V-4034	21.3
V-1136		22.45	V-1649 5	42.70	V-194031	22.45	V-404742	33.7
V-1144		44.95	V-167224	33.70	V-195825	44.95	V-405841	37.1
V-1147		44.95	V-167324	39.35	V-196133	44.95	V-408519	17.9
V-1152		33.70	V-167530	20.20	V-196332	50.60	V-408619	17.9
V-1155		56.20	V-167823	28.10	V-196434	20.20	V-4100	5.6
V-1156		56.20	V-168834	7.85	V-196532	32.60	V-4101	5.6
V-1161		35.95	V-1689	8.95	V-196732	41.25	V-410244	5.6
V-1163		42.70	V-169134	8.95	V-1969	28.10	V-4110	7.6
V-1165		16.85	V-169234	11.20	V-197631	28.10	V-4111	7.6
V-1168		48.35	V-169334	14.60	V-2133 17	50.60	V-411244	7.6
V-1171		44.95	V-169434	16.85	V-2135 17	84.20	V-4120	12.9
V-1176		50.60	V-170120	8.95	V-2808 58	11.80	V-412144	12.9
V-1181		28.10	V-170218	11.20	V-2870 12	25.85	V-4122 44	12.9
V-1182	25	28.10	V-171029	44.95	V-287116	33.70	V-4255	28.1
V-1185	19	38.20	V-1712 29	56.20	V-311854	13.45	V-426143	33.7

FIXTURE NUMBER	PAGE NUMBER	USER PRICE	FIXTURE PAGE NUMBER NUMBER	USER PRICE	FIXTURE NUMBER	PAGE NUMBER	USER PRICE	FIXTURE NUMBER	PAGE NUMBER	USER PRICE
V-4290	44	\$14.60	V-6131 7	\$37.10	V-6622	53	\$ 6.65	V-7775		\$14.60
V-4293		13.45	V-613317	32.60	V-6625		9.50	V-7815		16.85
V-4310		5.10	V-614521	32.60	V-6626 V-6627		10.10	V-7830		10.10
V-4312		5.10 7.85	V-6150	17.95 16.85	V-6816		8.55	V-7840 V-7845		35.95
V-4320 V-4322		7.85	V-615713 & 50	33.70	V-6817		11.80	V-7850		44.95
V-4340		9.50	V-6160	29.20	V-6821		10.10	V-7853		20.20
V-4341	44	9.50	V-616549	39.35	V-6822		13.45	V-7863		24.70
V-4342		9.50	V-6185 9	31.45	V-6860		11.80	V-7873		17.95
V-4350		14.60	V-6200	8.15 8.15	V-6861 V-6881		13.45	V-7875 V-7876		56.20 56.20
V-4351 V-4352		14.60	V-620259	8.15	V-6900		28.10	V-7882		6.50
V-4360		17.95	V-621059	6.70	V-6901		30.35	V-7896		19.10
V-4460		17.95	V-6212 59	6.70	V-6905		43.80	V-7898		12.35
V-4465		24.70	V-622059	7.85	V-6906		44.95	V-7900		14.00
V-4480		14.60	V-622159	7.85 7.85	V-6910 V-6924		1.15 24.40	V-7901 V-7902		14.60
V-4485		19.10 14.60	V-622259 V-622559	8.55	V-6925		25.65	V-7907		15.70
V-4550 V-4551		14.60	V-622659	8.55	V-6934		36.25	V-7908		4.45
V-4553		12.35	V-6230 59	8.40	V-6935		37.50	V-7910		11.20
V-4600	42	14.60	V-6231 59	8.40	V-6940		26.25	V-7921		16.85
V-4610		17.45	V-623259	8.40	V-6941 V-6944		27.50 32.50	V-7923 V-7930		19.10 12.35
V-4620 V-4640		20.20	V-6235	8.55 8.55	V-6945		33.75	V-7951		4.45
V-4640		16.85	V-6250	14.05	V-6952		12.95	V-7952		7.25
V-4660		19.10	V-625159	14.05	V-6953	41	16.85	V-7960		11.20
V-4672		14.60	V-6252 59	14.05	V-6960		.50	V-7961		11.20
V-4673		16.85	V-6255 59	15.70	V-6962		11.80	V-7982		8.55 31.45
V-4676		17.95 22.45	V-6256	15.70	V-6963 V-6964		14.60 15.70	V-8752 V-8852		44.95
V-4682 V-4694		50.60	V-6260	14.60	V-6971		2.75	V-9190		3.15
V-4706		101.25	V-6262	14.60	V-6972	53	3.35	V-9191		.25
V-4714	40	118.15	V-627359	1.85	V-6973		4.45	V-9192		4.90
V-4724		33.15	V-6274 59	2.55	V-6974		5.60	V-9193		1.90
V-4728		61.90	V-6320	6.15	V-6981 V-6982		3.90 4.45	V-9610 V-9612		3.00
V-4742		35.65 51.90	V-6322	6.70 8.95	V-7010		20.20	V-9613		5.40
V-4748		99.90	V-642252	9.50	V-7047		6.50	V-9614		6.25
V-4933		10.50	V-6441 52	13.45	V-7107		11.20			
V-4935		9.50	V-6442 52	14.00	V-7110		5.60	VIRDEN SQUAR		NGULAR
V-4943		14.00	V-6445	16.85 16.85	V-7114 V-7120		14.60 26.95	RECES	SSED BOXES	
V-4945 V-4946		13.00	V-6446	8.40	V-7121		26.95	V-13	36	3.75
V-4953		16.85	V-6456	9.50	V-7125	64	33.70	V-23		6.50
V-4955		16.35	V=6457 52	8.95	V-7126		33.70	V-30	36	4.00
V-4963		23.15	V-6461 52	21.35	V-7130 V-7131		31.45	V-31		4.00
V-4965		22.25	V-6462	21.90	V-7135		31.45	V-32 V-33		4.00
V-4970 V-5000		10.10	V-6530	16.30 16.85	V-7140		31.45	V-34	36	2.90
V-5002		10.10	V-6535	19.10	V-7145	62	39.35	V-35		10.65
V-5038	14	14.60	V-6536	20.20	V-7150		44.95	V-36	36	1.15
V-5045	58	3.35	V-654048	24.70	V-7155 V-7160	64	31.45 39.35	V-37	36	3.65
V-5055 V-5060		10.10 7.85	V-6541	22.45	V-7165		4.45	V-38 V-39	36	2.50 4.15
V-5065		13.45	V-6545	22.45	V-7166		4.45	V-14	37	5.25
V-5091		17.95	V-655050	9.90	V-7167		3.90	V-24	37	7.65
V-5106		17.95	V-6551 50	9.90	V-7170		33.70	V-40	37	4.65
V-5121		22.45	V-655551	11.20	V-7171 V-7175		31.45 29.20	V-41	37	4.65
V-5122 V-5145		22.45 19.10	V-6556	11.20	V-7176		28.10	V-42 V-43		4.65
V-5145		19.10	V-6563	21.35	V-7353		8.55	V-44		3.75
	8	37.10	V-657249	20.20	V-7410	64	17.95	V-45	37	14.90
V-5350	58	7.60	V-657651	20.20	V-7430		5.60	V-46		1.65
	58	11.20	V-6580	6.70	V-7431		4.95	V-47 V-48		4.40
	12	11.20	V-6590	26.45	V-7435 V-7436		7.85 7.25	V-49		3.25 4.90
		7.85 31.45	V-6591	36.45	V-7450		44.95	V-15	37	8.15
	3	31.45	V-659650	37.10	V-7455		26.95	V-25	37	10.10
V-6080	10	14.60	V-660952	3.10	V-7600		20.20	V-50		6.25
	5	17.45	V-661052	3.35	V-7605		15.70	V-51 V-52	37	6.25
V-6118	2	25.85 25.85	V-6611	3.90	V-7606 V-7615		13.45	V-52	37	6.25
	15	19.10	V-6620	5.60 6.15	V-7773		14.60	V-54		5.00
			1 0021	0.13						

FIXTURE PAGE NUMBER NUMBER	USER PRICE	FIXTURE PAGE NUMBER NUMBER	USER PRICE	FIXTURE PAGE NUMBER NUMBER	USER PRICE	FIXTURE PAGE NUMBER NUMBE	USER R PRICE
V-55 37	\$20.75	VIRDEN RECESSED HI-HA	TS	V-151 39	\$ 5.00	V-888047	\$61.90
V-56 37	2.75	SP-8000 38	\$ 4.40	V-152 39	4.65	V-8885 47	94.40
V-57 37	5.40	SP-8005	5.90	V-155 39	5.00	V-8878 47	4.40
V-58 37	4.40	SP-8010	4.75	V-15639	5.00	V-8879 47	8.15
V-59 37	6.00	SP-8015	6.00	V-157 39	4.65	V-8900 47	8.40
		SP-8020	6.25	V-160 39	4.25	V-8901 47	15.70
V-16 37	4.65	SP-8025	6.15	V-161 39	4.25	F-542 47	.90
V-26 37	7.15	SP-8030	9.90	V-162 39	3.90	F-543 47	3.75
V-60 37	4.65	V-7 39	5.15	V-165 39	3.75	F-544 47	.15
V-61 37	4.65	V-8 39	7.85	V-166 39	3.75	F-545 47	2.75
V-62 37	4.65	V-12039	4.00	V-167 39	3.40	F-546 47	.40
V-63 37	4.65	V-12139	4.00	V-170 39	8.40	F-547 47	.25
V-64 37	3.75	V-12239	3.65	V-175 39	3.75	F-548 47	.50
V-66 37	1.90	V-125 39	4.00	V-180 39	11.75	F-574 47	.50
V-68 37	3.75	V-12639	4.00	V-181 39	11.75	F-580 47	.15
		V-127 39	3.65	V-182 39	11.20	F-580-1	.15
V-27 37	13.75	V-130 39	2.50	V-185 39	14.60	V-8888 47	1.65
V-50 37	6.25	V-131 39	2.50	V-186 39	14.60		
V-51 37	6.25	V-132 39	2.25	V-187 39	14.00	LD-9133 46	9.25
V-52 37	6.25	V-135 39	6.70	V-190 39	5.95	LD-9145 46	9.25
V-53 37	6.25	V-13639	6.70	V-191 39	5.95	LD-9146	15.75
V-54 37	5.00	V-137 39	6.50	V-192 39	5.60	LD-9151	18.15
V-55 37	20.75	V-140 39	2.50	V-195 39	11.20	LD-9153 46	19.90
V-56 37	2.75	V-141 39	2.50	V-19639	11.20	LD-936246	15.65
V-57 37	5.40	V-142 39	2.25	V-197 39	10.65	LD-9160 46	86.75
V-58 37	4.40	V-145 39	6.50	V-9139	.75	LD-9161 46	96.25
V-59 37	6.00	V-14639	6.50	VIRDEN LUMINOUS CEIL	INICC	LD-9162 46	109.25
		V-147 39	6.15	VINDEN LUMINOUS CEIL	INGS	LD-9163 46	78.75
V-91 37	.75	V-150 39	5.00	V-887547	28.75	LD-9165 46	18.00
		A STATE OF THE PARTY OF THE PAR					

REPLACEMENT GLASS

FIXTURE		PRICE	FIXTURE NUMBER	GLASS NUMBER	USER PRICE	FIXTURE NUMBER		USER PRICE	FIXTURE NUMBER		USER PRICE
V-317	G-299	1.50	V-1120	G-301	.\$.63	V-1385	G-821	.\$ 2.75	V-1636	G-856 Shade	\$ 7.75
V-408	G-4	1.50	V-1124	G-858 Bowl	. 5.00	V-1392	G-804		V-1636	G-857 Body	
V-409	G-4	1.50		G-859-6 Panel		V-1394	G-804-1		V-1638	G-697 Panel	2.00
V-512	G-74-FC	2.25	V-1127	G-858 Bowl		V-1396	G-803		V-1647	G-781 Outside	16.88
V-609	G-17	5.63	V-1127	G-859-6 Panel	. 2.50	V-1425	G-820		V-1647	G-780 Inside	2.25
V-611	G-124	6.88	V-1134	G-823	. 6.88	V-1455	G-818	. 3.00	V-1649	G-780	2.25
V-613	G-18	9.38	V-1136	G-832 Outside	. 9.88	V-1464	G-664		V-1672	P-81 Diffuser	
V-614	G-78-FC	3.50	V-1136	G-480 Inside		V-1540	G-461		V-1672	P-81-1 Ring	4.50
V-625	G-353	12.50	V-1144	G-833		V-1545	G-809	. 8.13	V-1673	P-82 Diffuser	5.25
V-672	G-134 Side	.50		G-834 Top		V-1550	G-774		V-1673	P-82-1 Ring	5.25
V-672	G-135 Bottom	.50		G-835 Bottom		V-1551	G-774		V-1675	G-480	4.75
V-673	G-134 Side	.50		G-861 Top		V-1553	G-774		V-1678	G-776	12.38
V-673	G-135 Bottom	.50		G-860 Bottom		V-1609	G-811-1		V-1701	G-133	1.25
V-674	G-134 Side	.50	2 0000000000000000000000000000000000000	G-737		V-1613	G-782 Shade		V-1702	G-133	1.25
V-674	G-135 Bottom	.50		G-862-1 Red		V-1613	G-783 Outside		V-1710	G-624	
V-706	G-68	2.00		G-862-2 Blue		V-1613	G-783 Globe		V-1712	G-619	10.00
V-708	G-69	2.63		G-862-3 Amber		V-1615	G-418		V-1721	G-46	1.38
V-710	G-70	3.50		G-737		V-1618	G-782 Outside		V-1730	G-46	1.38
V-714	G-289	4.00		G-862-6		V-1618	G-798 Inside		V-1731	G-46	
V-808	G-94	3.75	10 10 10 10 10 10 10 10 10 10 10 10 10 1	G-692 Shade		V-1619	G-782-1 Outside		V-1734	G-46	
V-810	G-95	5.00	2 771 15121 151	P-89 Diffuser		V-1619	G-798 Inside		V-1735	G-133	1.25
V-872	G-46	1.38	A 10 THOUSE	G-737		V-1621	G-783 Outside		V-1736	G-133	1.25
V-872	G-64 Side	.75		G-807		V-1621	G-784 Inside		V-1741	G-133	1.25
V-873	G-46	1.38		G-830		V-1622	G-783-1 Outside		V-1742	G-133	1.25
V-873	G-64 Side	.75		G-810-1		V-1622	G-784 Inside		V-1751	G-46	1.38
V-874	G-423	7.00		G-810		V-1624	G-785 Outside		V-1761	G-456	2.75
V-970	G-407	.88		G-774		V-1624	G-786 Inside		V-1764	G-770-1	6.25
V-971	G-407	.88	and a settlement	G-774		V-1625	G-785-1 Outside		V-1765	G-770	6.00
V-975	G-557	1.00	The second second	G-456		V-1625	G-786 Inside		V-1767	G-790	7.50
V-976	G-557	1.00	The Carlotte and the Ca	G-456		V-1627	G-787 Outside		V-1769	G-791	10.75
V-1015	G-55 Crystal Ball	.88		G-480		V-1627	G-788 Inside		V-1770	G-719 Outside	
V-1015	G-110 T Drop	.38	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	G-806		V-1628	G-787-1 Outside		V-1770	G-46 Chimney	
V-1015	G-254 Bowl, 15"	4.75	The second secon	G-812		V-1628	G-788 Inside		V-1772	G-719 Outside	
V-1102	G-831	7.00		G-700 Bottom		V-1626 V-1631	G-792 Outside		V-1772	G-46 Chimney	
V-1113	G-824	8.50	over company of	G-701 Top		V-1631	G-792 Utiside		V-1773	G-778 Outside	
V-1118	G-822	6.88		G-855		V-1634	G-794 Outside		V-1773	G-779 Inside	
V-1119	G-822	6.88		G-855		V-1634 V-1634	G-795 Inside		V-1774	G-715 Outside	

REPLACEMENT GLASS (Continued)

FIXTURE	GLASS NUMBER	USER PRICE	FIXTURE NUMBER	GLASS NUMBER	USER PRICE	FIXTURI		USER PRICE	FIXTURE NUMBER	GLASS NUMBER	USER PRICE
	G-779 Inside			G-774		V-6022	G-783-1 Outside		and the second second second		\$ 4.63
V-1776 V-1777	G-771		The second second second	G-774		V-6022 V-6080	G-784 Inside	3.38 2.38		P-99 P-99	
V-1778	G-771			G-449 G-449		V-6106	G-772	1.00		P-99	
V-1781	G-456	2.75		G-449		V-6118	G-782 Outside	5.50	V-6945	P-99	6.25
V-1785	G-456			G-450		V-6118	G-798 Inside	2.88 5.50		P-52 P-52	
V-1786 V-1793	G-456			G-450 G-450		V-6119 V-6119	G-782-1 Outside G-798	2.88		G-597	
V-1795	G-772	2.38	A SECTION OF THE SECT	G-479		V-6125	G-820	6.88	V-6982	G-598	4.38
V-1860	G-500			G-479		V-6131	G-792 Outside	2.50		G-639	
V-1861 V-1885	G-704			G-479		V-6131 V-6133	G-793 Inside	5.50		G-670 Large G-671 Small	.50
V-1930	G-694	7.25		G-757 Drum G-863-6 Panel		V-6145	G-809	8.13	V-7107	G-610	2.13
V-1935	G-669		V-4261	G-757	3.50	V-6150	G-770	6.00 3.00		G-826	
V-1940 V-1958	G-691			G-698		V-6155 V-6157	G-818	3.00	V-7114 V-7120	G-782 G-773	
V-1961	G-647			G-698 G-451		V-6160	G-824	8.50	V-7121	G-773	
V-1963	G-737		The second second	G-451		V-6165	G-824	8.50	V-7125	G-775	
V-1965 V-1969	G-807			G-452		V-6185 V-6200	G-821	2.75	V-7126 V-7130	G-775 G-777	
V-1976	G-810-2			G-452 G-587		V-6201	G-301	.63	V-7131	G-777	
V-2133	G-782-1	5.50		G-587		V-6202	G-301	.63	V-7135	G-844 Top	3.50
V-2135	G-782-1		Table of Control of	G-587		V-6320	G-579	2.75		G-845 Bottom	
V-2808 V-2870	G-71		STATE OF THE PARTY	G-476		V-6322 V-6421	G-579-1	2.75 4.00	V-7140 V-7145	G-847 G-816	
V-2871	G-704			G-476 G-476		V-6422	G-481	4.00	V-7150	G-815	
V-3118	G-467			G-687 Top		V-6441	G-482	6.00	V-7155	G-808	
V-3135 V-3165	G-673		V-4360	G-688 Bottom	5.00	V-6442 V-6445	G-482 G-453	6.00 2.50	V-7160 V-7165	G-848	
V-3166	G-685			G-585		V-6446	G-453	2.50		G-827 G-827	
V-3167	G-686			G-544 G-663		V-6455	G-668	5.63	V-7167	G-827	
V-3170	G-679		The second second	G-664		V-6456	G-668	5.63	V-7170	G-843	
V-3185 V-3214	G-681			G-774		V-6457 V-6461	G-668	5.63 9.63	V-7171 V-7175	G-843 G-846	
V-3214	G-469			G-774 G-774		V-6462	G-483	9.63	V-7176	G-846	
V-3224	G-864			G-886		V-6530	G-894	2.25	V-7353	G-475-1	4.25
V-3226 V-3230	G-865		V-4610	G-887	12.13	V-6531 V-6535	G-894	2.25	V-7410	G-639	
V-3236	G-869			G-888		V-6536	G-895	3.00	V-7430 V-7430	G-850 Side G-849 Bottom	
V-3239	G-870	9.38		G-883 G-884		V-6540	G-825	6.25	V-7431	G-850 Side	
V-3244	G-867			G-885		V-6541	G-825	6.25	V-7431	G-849 Bottom	
V-3247 V-3250	G-880			G-623		V-6545 V-6546	G-813	5.25	V-7435 V-7435	G-851 Side G-852 Bottom	
V-3253	G-871			G-488 G-837		V-6550	G-838	3.50		G-851 Side	
V-3255	G-868			G-882		V-6551	G-838	3.50	V-7436	G-852 Bottom	.75
V-3258 V-3260	G-873		V-4694	G-889	5.50	V-6555 V-6556	G-839	3.50 3.50	V-7450	G-817	
V-3263	G-875			P-124		V-6563	G-895-1	3.00	V-7455 V-7600	G-808 KL-210 Shade	
V-3265	G-876			P-124-1 P-100		V-6566	G-895	3.00	V-7605	G-472	
V-3268	G-879 Outer			P-100		V-6572	G-895-1	3.00	V-7606	G-472	
V-3268 V-3270	G-581 Inner		V-4742	P-101	. 10.00	V-6576 V-6580	G-840	9.88		G-554	
V-3271	G-878		V-4744 V-4748	P-102	17.50	V-6590	G-766	1.50		P-90 Panel	
V-3276	G-837	9.38	V-4748 V-5038	P-102 G-697 Panel	2.00	V-6591	G-766	1.50	V-7815	G-46	1.38
V-3515	G-526		V-5045	G-827	1.00	V-6595	G-766	1.50	V-7830 V-7840	G-486 G-535	
V-3517 V-3719	G-471			G-770-1		V-6596 V-6609	G-766	2.13	V=7845	G-816	
V-3819	G-580 Bowl, 19"			G-828 G-829		V-6610	G-555	2.13	V-7850	G-817	
V-3819	G-581 Inside			G-772		V-6611	G-555	2.13	V-7853	G-594	
V-4002 V-4017	G-831	-	V-5106	G-855	1.00	V-6620 V-6621	G-841	1.88	V-7863 V-7873	G-594	
V-4017	G-5 Chain		V-5121 V-5121	G-783 Outside	9.88	V-6622	G-841	1.88	V-7875	G-718 Outside	
V-4017	G-90 Break		V-5121 V-5122	G-784 Inside G-783-1 Outside	. 3.38 . 9.88	V-6625	G-842	2.50	V-7875	G-779-1 Inside	1.88
V-4017	G-110 T Drop		V-5122	G-784 Inside	. 3.38	V-6626	G-842	2.50	V-7876	G-779-1 Inside	
V-4017 V-4017	G-292 17" G-293 7"		V-5145	G-809	8.13	V-6627 V-6860	G-842	2.50 2.38	V-7876 V-7882	G-718 Outside G-490	2.38
V-4018	G-822			G-818 G-804		V-6861	G-704	3.13	V-7910	G-486	2.75
V-4019	G-822	6.88		G-475-1		V-6881	G-222	1.63	V-7930	G-486	2.75
V-4034 V-4047	G-823		V-5860	G-500	. 2.38	V-6901 V-6906	P-128	4.75	V-7960 V-7961	G-484	
V-4047	G-836 Top		V-5890 V-6021	G-222 G-783 Outside	. 1.63	V-6924	P-128	4.75 3.13		G-490	
V-4058	G-802		V-6021	G-784 Inside	. 3.38	V-6925	P-97	3.13	V-8752	G-169	3.00
						V-6934	P-98	4.63	V-8852	G-178	5.63
1							The state of the s				